



Commercial Kitchen Solution

By AS Engineers

Your One-Stop Destination for Complete Professional Kitchen Design, Supply & Installation.



Contact us:  +91 8318551885 | +91 8726997004  Lucknow

www.rasoequipments.com



ABOUT US

Rasoi Equipments is a trusted name in delivering end-to-end commercial kitchen solutions for restaurants, hotels, cloud kitchens, and catering businesses across India. As one of the leading commercial kitchen equipment manufacturers and suppliers, we specialize in designing, supplying, and installing high-quality kitchen setups tailored to your operational needs and budget.

We understand the challenges of setting up a professional kitchen—finding durable, reliable, and cost-effective industrial kitchen equipment can be overwhelming. That's why Rasoi Equipments offers a complete range of commercial kitchen equipment, from essential tools to advanced appliances, all under one roof.

Whether you are starting a new restaurant, launching a cloud kitchen, upgrading hotel kitchen equipment, or setting up a large catering unit, our expert team provides customized kitchen planning and layout design, seamless installation, and ongoing support to ensure smooth kitchen operations.

With a strong focus on quality, performance, efficiency, and customer satisfaction, Rasoi Equipments delivers turnkey commercial kitchen solutions that help your business run faster, smarter, and more profitably.

COOKING EQUIPMENTS



SINGLE BURNER RANGE



Item Code	Description of Goods	Dimension (inches)	Pan Support Size (inches)	Burner Specifications
SBR24	Single Burner Range	24 X 24 X 34 + 4	16 X 16	C22 46800 BTU/Hr 1 Kg/Hr C35
SBR30	Single Burner Range	30 X 30 X 34 + 4	16 X 16	70000 BTU/Hr 1.5 Kg/Hr

Use: Ideal for bulk frying, steaming, and general heating.

Specifications:

1. Made with AISI 304 SWG 18 as standard.
2. MS or SS frame as per your requirements.
3. Heavy - duty CI Pan Grill.
4. Individual pilot and burner control.
5. Removable SS Drip tray.

TWO BURNER RANGE



Item Code	Description of Goods	Dimension (inches)	Pan Support Size (inches)	Burner Specifications
TBR48	Two Burner Range	48 X 24 X 34 + 4	16 X 16	C22 46800 BTU/Hr 1 Kg/Hr C35
TBR487	Two Burner Range	48 X 27 X 34 + 4	16 X 16	70000 BTU/Hr 1.5 Kg/Hr

Use: Ideal for cooking, and general heating.

Specifications:

1. Made with AISI 304 SWG 18 as standard.
2. MS or SS frame as per your requirements.
3. Heavy - duty CI Pan Grill.
4. Individual pilot and burner control.
5. Removable SS Drip tray.

COOKING EQUIPMENTS

THREE BURNER RANGE



Item Code	Description of Goods	Dimension (inches)	Pan Support Size (inches)	Burner Specifications
	Three Burner Range	60 X 24 X 34 + 4	16 X 16	C22 46800 BTU/Hr 1 Kg/Hr C35
	Three Burner Range	60 X 27 X 34 + 4	16 X 16	70000 BTU/Hr 1.5 Kg/Hr

Use: Ideal for bulk frying, steaming, and general heating.

Specifications:

1. Made with AISI 304 SWG 18 as standard.
2. MS or SS frame as per your requirements.
3. Heavy - duty CI Pan Grill.
4. Individual pilot and burner control.
5. Removable SS Drip tray.

FOUR-BURNER CONTINENTAL RANGE



Item Code	Description of Goods	Dimension (inches)	Pan Support Size (inches)	Burner Specifications
	Four-Burner Continental Range	30 X 30 X 34 + 4	14 X 14	C22 / T22 46800 / 40000 BTU/Hr 1 Kg/Hr
	Four-Burner Continental Range	36 X 30 X 34 + 4	14 X 14	C22 / T22 46800 / 40000 BTU/Hr 1 Kg/Hr

Use: Ideal for cooking, and general heating.

Specifications:

1. Made with AISI 304 SWG 18 as standard.
2. MS or SS frame as per your requirements.
3. Heavy - duty CI Pan Grill.
4. Individual pilot and burner control.
5. Removable SS Drip tray.

COOKING EQUIPMENTS

CHINESE COOKING RANGE



ItemCode	Description of Goods	Dimension (inches)	Pan Support Size (inches)	Burner Specifications
CR48	Chinese Range	48 X 27 X 34 + 4	14 + 8.5 Dia	T22 40000 BTU/Hr 1 Kg/Hr T35
CR60	Chinese Range	60 X 27 X 34 + 4	15.5 + 8.5 Dia	70000 BTU/Hr 1.5 Kg/Hr each T35
CR66	Chinese Range	66 X 27 X 34 + 4	15.5 + 8.5 Dia	70000 BTU/Hr 1.5 Kg/Hr each

Use: Ideal for cooking, and general heating.

Specifications:

1. Made with AISI 304 SWG 18 as standard.
2. MS or SS frame as per your requirements.
3. Heavy - duty CI Pan Grill.
4. Individual pilot and burner control.
5. Removable SS Drip tray.

HOT PLATE



ItemCode	Description of Goods	Dimension	Pan Grill	Technical Specifications
HP36	Tawa Range	36" X 30" X 34" + 4"	30" x 24"	V 600 / 70,000 BTU/Hr 1.5 Kg/Hr each
HP42	Tawa Range	42" X 30" X 34" + 4"	36" x 24"	V 900 / 70,000 BTU/Hr 1.5 Kg/Hr each

Use: Ideal for cooking, and general heating.

Specifications:

1. Made with AISI 304 SWG 18 as standard.
2. MS or SS frame as per your requirements.
3. Heavy - duty CI Pan Grill.
4. Individual pilot and burner control.
5. Removable SS Drip tray.

COOKING EQUIPMENTS



TANDOOR

Item Code	Description of Goods	Dimension (inches)	Shape	Burner Specifications
TN27	SS Tandoor	27 X 27 X 34	Square	LPG / PNG / Coal
TN30	SS Tandoor	30 X 30 X 34	Square	LPG / PNG / Coal

Use: Ideal for Roasting and baking of chicken, paneer, and breads.

Specifications:

1. Made with AISI 304 SWG 18 as standard.
2. MS or SS frame as per your requirements.
3. Heavy-duty wheels for mobility.
4. 30MM Glass wool insulation.
5. 60MM Thick Clay Pot.



GRIDDLE PLATE

Item Code	Description of Goods	Dimension (inches)	Plate size	Burner Specifications
GP27	Griddle Plate	27 X 27 X 34 + 4	12 – Ribbed 12 – Plain	RV1 70000 BTU/Hr 1.5 Kg/Hr
GP36	Griddle Plate	30 X 30 X 34 + 4	12 – Ribbed 12 – Plain	RV1 70000 BTU/Hr 1.5 Kg/Hr

Use: Ideal for cooking Chapati, and Roti.

Specifications:

1. Made with AISI 304 SWG 18 as standard.
2. MS or SS frame as per your requirements.
3. Polished MS Cook top with 15 MM Thickness.
4. Individual pilot and burner control.



BARBE-CUE COUNTER

Item Code	Description of Goods	Dimension (inches)	Sigri Size	Burner Specifications
BB36	Bar-Be-Cue	36 X 24 X 34+ 1200	30 X 12	Coal

COOKING EQUIPMENTS



TILTING TYPE BULK COOKER

Item Code	Description of Goods	Capacity	Construction	Technical Specifications
BC 100	Bulk Cooker	100L	Pre-Polished Steel	C 35 / 74,500 BTU/Hr 1.5 Kg/Hr each
BC 150	Bulk Cook	150L	Pre-Polished Steel	C 65 / 74,500 BTU/Hr 2.2 Kg/Hr each

Use: Ideal for boiling, steaming vegetables, rice, pulses, and grains in bulk quantities.

Specifications:

1. Made with AISI 304 SWG 16 as standard.
2. Essential for bulk cooking at Industrial, hospital, military, school canteens.
3. MS or SS frame as per your requirements.
4. Jacketed Steel surface.
5. Individual pilot and burner control.
6. DRP valves as standard.



TILTING TYPE BRAT PAN

Item Code	Description of Goods	Capacity	Construction	Technical Specifications
BP 100	Brat Pan	100 L	Pre -PolishedSteel	C 35 / 74,500 BTU/Hr 1.5 Kg/Hr each
BP 150	Brat Pan	150 L	Pre-PolishedSteel	C 65 / 74,500 BTU/Hr 2.2 Kg/Hr each

Use: Ideal for boiling, steaming, stewing, simmering, roasting, poaching, braising and shallow and deep-frying vegetables in bulk quantities.

Specifications:

1. Made with AISI 304 SWG 16 as standard.
2. Essential for bulk cooking at Industrial, hospital, military, school canteens.
3. Jacketed steel surface
4. MS or SS frame as per your requirements.
5. Individual pilot and burner control.
6. DRP valves as standard.

CHAPATI PLATE WITH PUFFER



Item Code	Description of Goods	Dimension	Pan Grill	Technical Specifications
CP42	Chapati Plate	42" X 30" X 34"	30" x24"	V 600/ 70,000 BTU/Hr 1.5 Kg/Hr each
CP48	Chapati Plate	48" X 30" X 34" + 4"	36" x 24"	V 900 / 70,000 BTU/Hr 1.5 Kg/Hr each

Use: Ideal for cooking Chapati, and Roti.

Specifications:

1. Made with AISI 304 SWG 18 as standard.
2. MS or SS frame as per your requirements.
3. Polished MS Cook top with 15MM Thickness.
4. Individual pilot and burner control.

TABLES & RACKS



SS RACKS

Item Code	Description of Goods	Dimension (inches)	Sheet Grade / Thickness	Pipe Grade / Thickness
RC36	Stainless Steel Rack	36 X 18 X 72	304 / 20	304 / 18
RC42	Stainless Steel Rack	42 X 18 X 72	304 / 18	304 / 18
RC48	Stainless Steel Rack	48 X 18 X 72	304 / 18	304 / 18



WORK TABLE

Item Code	Description of Goods	Dimension (inches)	Sheet Grade / Thickness	Pipe Grade / Thickness
WT24	Work Table	24X24X34+4	304 / 16-20	304 / 18
WT30	Work Table	30X24X34+4	304 / 16-20	304 / 18
WT36	Work Table	36X24X34+4	304 / 16-20	304 / 18
WT42	Work Table	42X24X34+4	304 / 16-20	304 / 18
WT48	Work Table	48X24X34+4	304 / 16-20	304 / 18



TRAY RACK

Item Code	Description of Goods	Dimension (inch es)	GN Pan	No. of Tray
TR24	Tray Rack	24 X 18 X 60/72	2/1	12



MASALA TROLLEY

Item Code	Description of Goods	Dimension (inches)	GN Pan	No. of Container
MT24	Masala Trolley	24 X 24 X 34	1/9	9
MT30	Masala Trolley	30 X 30 X 34	1/9	12

TABLES & RACKS



POTATO BIN

ItemCode	Description of Goods	Dimension (inches)	Mobility	Capacity
PB30	Ingredient Bin	30 X 30 X 34	Heavy Duty Wheels	50 Kg.
PB36	Ingredient Bin	36 X 30 X 34	Heavy Duty Wheels	80 Kg.



FOOD TROLLEY

Item Code	Description of Goods	Dimension (inches)	Tier	Tray Size
FT30	Food Trolley	30X30X34	1	30X27
FT48	Food Trolley	48X30X34	2	47X27



FOOD WARMER TROLLEY

Item Code	Description of Goods	Dimension (inches)	Tier	GN Pan Size	No. of GN Pan
FWT30	Food Warmer Trolley	30X30X34	1	2	1/1
FWT48	Food Warmer Trolley	48X30X34	2	2	1/1



UTILITY TROLLEY

Item Code	Description of Goods	Dimension (inches)	Tier	Wheels
UT24	Utility Trolley	24X24X34	2	Yes
MT30	Masala Trolley	30X30X34	3	Yes



GARBAGE CHUTE TABLE

ItemCode	DescriptionofGoods	Dimension (inches)	Sheet Grade / Thickness	Pipe Grade / Thickness
GCT42	Garbage Chute Table	42X24X34+4	304 / 16-20	304 / 18
GCT48	Garbage Chute Table	48X24X34+4	304 / 16-20	304 / 18
GCT60	Garbage Chute Table	60X24X34+4	304 / 16-20	304 / 18



WORK TABLE WITH OHS

ItemCode	DescriptionofGoods	Dimension (inches)	Sheet Grade / Thickness	Pipe Grade / Thickness
WTH48	Work Table with OHS	48X24X34+12+12	304 / 16-20	304 / 18
WTH60	Work Table with OHS	60X24X34+12+12	304 / 16-20	304 / 18
WTH66	Work Table with OHS	66X24X34+12+12	304 / 16-20	304 / 18

FOOD PREPARATION EQUIPMENTS

Application:

Enhancing Culinary experiences with fully automatic machines ideal for chopping, peeling, mixing, and making.

Specifications:

- Made with Stainless Steel AISI 304 as standard.
- Variable options available in different capacities, and sizes as per the requirement.
- Imported heavy-duty steel blades for longevity.



VEGETABLE CUTTER

Item Code	Description of Goods	Dimensions (mm)	No. of Blades	Construction	Power (W)
VC5	Vegetable Cutter	750 X 350 X 500	5 + 2	Aluminium Alloy & SS	550



POTATO PEELER

Item Code	Description of Goods	Dimension (inches)	Capacity (Kg)	Water Consumption (Ltr)
PP100	Potato Peeler	Standard	100	8



MEAT MINCER

Item Code	Description of Goods	Dimension (inches)	Capacity (Kg)	Capacity (W)
MM15	Meat Mincer	Standard	100	1500



MEAT SLICER

Item Code	Description of Goods	Dimension (inches)	Thickness (mm)	Power (W)
MS	Meat Slicer	23X19X17	0.2 – 1.2	1500

FOOD PREPARATION EQUIPMENTS



WET GRINDER

Item Code	Description of Goods	Dimension (inches)	Capacity (Kg)	Wattage (W)
#	Wet Grinder	Standard	7Ltr	1500



BOWL CHOPPER

Item Code	Description of Goods	Dimension (mm)	Capacity (L)	Wattage (W)
#	Bowl Chopper	770 X 710 X 960	20	1500
#	Bowl Chopper	605 X 462 X 500	5	550



PULVERISER

Item Code	Description of Goods	Dimension (inches)	Capacity (Kg)	Wattage (W)
#	Pulveriser	Counter Top	100	1100
#	Pulveriser	Counter Top	150	1500



SAUSAGE STUFFER

Item Code	Description of Goods	Dimension (inches)	Capacity (Ltr)	Funnel Size (mm)
SV05	Sausage Stuffer	12X9X26	5	38/32/22/16
SV07	Sausage Stuffer	12X12X31	7	38/32/22/16

FOOD PREPARATION EQUIPMENTS



PLANETARY MIXER

ItemCode	Description of Goods	Capacity (Ltr)	KneadingCapacity (Kg)	Power (W)
B7	Planetary Mixer	7	0.5	500
B10	Planetary Mixer	10	1.5	800
B20	Planetary Mixer	20	5	1100
B30	Planetary Mixer	30	8	1250
B40	Planetary Mixer	40	12	2200



GAS BAKING OVEN

ItemCode	Description of Goods	Dimensions (mm)	Chamber (mm)	Tray Size (mm)	Power (KW)
GBO11	1 Deck 1 Tray	960 X 600 X 500	650 X 420 X 220	400 X 600 X 30	0.10
GBO12	1 Deck 2 Tray	1300 X 890 X 630	870 X 650 X 230	400 X 600 X 30	0.10
GBO24	2 Deck 4 Tray	1300 X 890 X 1410	870 X 650 X 230	400 X 600 X 30	0.20
GBO36	3 Deck 6 Tray	1300 X 840 X 1720	870 X 650 X 230	400 X 600 X 30	0.30



SPIRAL MIXER

ItemCode	Description of Goods	Capacity (Ltr)	Kneading Capacity (Kg)	Power (W)
H20	SpiralMixer	20	8	1500
H30	SpiralMixer	30	12	2000
H50	SpiralMixer	50	20	2500



CONVEYOR TOASTER

ItemCode	Description of Goods	Dimension	Power	Type
TT 150	Conveyor Toaster	290 X 420 X 390 MM	1300 W	Counter Top
TT 300	Conveyor Toaster	370 X 420 X 390 MM	1900 W	Counter Top



PLANETARY MIXER

ItemCode	Description of Goods	Capacity (Ltr)	Kneading Capacity (Kg)	Power (W)
B7	Planetary Mixer	7	0.5	500

FOOD PREPARATION EQUIPMENTS



SALADETTE TABLE

Item Code	Description of Goods	Capacity (Ltr)	Dimension (mm)	No. of GN Pan	Operating Temperature
SD1200	Saladette Tables	298	1200 X 750 X 850 +150	6 1/6	-2°C
SD1500	Saladette Tables	400	1500 X 750 X 850 +150	8 1/6	-2°C
SD1800	Saladette Tables	520	1800 X 750 X 850 +150	9 1/6 Double Row	-2°C



DISPLAY COUNTER (VENTILATED COOLING)

ItemCode	Description of Goods	Dimensions(mm)	No. of Shelves	Power (KW)
FDVC12	DisplayCounter	1200X700X1300	03 + 01	1.6
FDVC15	DisplayCounter	1500X700X1300	03 + 01	2.4



DISPLAY COUNTER (STATIC COOLING)

Item Code	Description of Goods	Dimensions (mm)	No. of Shelves	Power (KW)
FDSC12C	Display Counter	1200 X 700 X 1300	03 + 01	1.6
FDSC15C	Display Counter	1500 X 700 X 1300	03 + 01	2.4



BREAD SLICER

Item Code	Description of Goods	No. of Slices	Dimension (mm)	Thickness of Slice (mm)	Power (W)
BS760SS	Bread Slicer	31	760 X 560 X 780	12	370
BS760HS	Bread Slicer	31	730 X 680 X 900	12	370



SANDWICH GRILLER

Item Code	Description of Goods	Bread Size	Power (W)	Dimension (mm)
	Sandwich Griller	Regular Jumbo	1800	370 X 305 X 190
	Sandwich Griller	2 X Jumbo	2200	425 X 370 X 190
	Sandwich Griller		1800 X 2	565 X 370 X 190

REFRIGERATION UNIT

Application:

Keeping your produce fresh and hygienic.

Specifications:

- Made with Stainless Steel AISI-304 as standard.
- Puf Insulated cabinets and doors (thickness ranging from 60 to 120 mm).
- Removable gaskets with a retainer for easy replacement.
- Large cabinets suitable for 2/1 GN Pan.
- MS or SS Framework as per requirement.
- Dynamic Ventilated Cooling Systems for uniform temperature.
- Heavy-duty Castor wheels.
- Removable SS Drip Tray as standard.
- Tropicalized condenser designed at 43 Deg. C.
- IGT copper coils for precise condensation and evaporation.
- Concealed drain slots to control moisture content.
- Noise levels below 40< decibels.
- Static Cooling Systems are available on request.
- Custom-Tailor fit equipment available on special demand.



BLAST CHILLER & FREEZER

ItemCode	Description of Goods	Capacity (Ltr)	Dimension (mm)	Operating Temperature (C)
BC100SD	Blast Chiller & Freezer	10 GN	800X800X1800	-35 °C
BC200SD	Blast Chiller & Freezer	14 GN	800X1000X2050	-35 °C
BC300SD	Blast Chiller & Freezer	16 GN	800X1000X2200	-35 °C



COLD ROOM

ItemCode	Description of Goods	Dimensions (Ft.)	Operating Temperature	Cooling Capacity (BTUH)
WC64	Cold Room	8 X 8 X 8	-2°C	10,000
WC80	Cold Room	10X8X8	-2°C	10,000
WC100	Cold Room	10X10X8	-2°C	15,000
WC150	Cold Room	10X15X8	-2°C	15,000

REFRIGERATION UNIT



UPRIGHT FREEZER

ItemCode	Description of Goods	Capacity (Ltr)	Dimension (mm)	Operating Temperature
RF600-2D	Upright Freezer	600	700 X 800 X 2050	-20 °C
RF1200-4D	Upright Freezer	1050	1200 X 800 X 2050	-20 °C
RF1400-4D	Upright Freezer	1350	1400 X 800 X 2050	-20 °C



UPRIGHT CHILLER

ItemCode	Description of Goods	Capacity (Ltr)	Dimension (mm)	Operating Temperature
RC600-2D	Upright Chiller	600	700 X 800 X 2050	-2°C
RC1200-4D	Upright Chiller	1050	1200 X 800 X 2050	-2°C
RC1400-4D	Upright Chiller	1350	1400 X 800 X 2050	-2°C



CHEST FREEZER

Item Code	Description of Goods	Capacity (Ltr)	Dimension (mm)	Operating Temperature
CF205 SD	Chest Freezer	205	850 X 665 X 850	-20 °C
CF320 DD	Chest Freezer	320	1200 X 665 X 850	-20 °C
CF405 DD	Chest Freezer	405	1450 X 665 X 850	-20 °C
CF500 DD	Chest Freezer	500	1680 X 665 X 850	-20 °C
CF600 TD	Chest Freezer	600	1915 X 665 X 850	-20 °C



VISI COOLER

Item Code	Description of Goods	Capacity (Ltr)	Dimension (mm)	Operating Temperature
VC 220 SD GT	Visi Cooler	220	535 X 670 X 1390	-2°C
VC 320 SD GT	Visi Cooler	320	560 X 705 X 1680	-2°C
VC 450 SD GT	Visi Cooler	450	650 X 725 X 1910	-2°C

GLASS TOP FREEZER

Item Code	Description of Goods	Capacity (Ltr)	Dimension (mm)	Operating Temperature
GT205 P	Glass Top Freezer	205	850 X 665 X 850	-20 °C
GT320 P	Glass Top Freezer	320	1200 X 665 X 850	-20 °C
GT405 P	Glass Top Freezer	405	1450 X 665 X 850	-20 °C



CATERING ITEMS



WAFFLE MACHINE

Size : 250mm x 350mm x 360m

Power : 1 Kw



BAIN MARIE

Size : 690mm x 590mm x 225mm

Power : 1.5 Kw



ELECTRIC CHAFER

Capacity : 10 Ltr.



PASTA BLOILER

Size : 210x190x130mm

Power : 6 Kw



PASTA BLOILER

Size : 210x190x130mm

Power : 6 Kw



Commercial Food Warmer

6 X 8QT 110v 1500w Electric Stainless Steel
Bain Steam Table Food Warmer with 1/3 Large
Capacity Pans



GRIDDLE PLATE

Item Code	Description of Goods	Plate Type	Dimension (mm)
GP7P	Griddle Plate	Plain	550 X 514 X 540
GP7HP	Griddle Plate	Half Ribbed	550 X 514 X 540
GP72P	Griddle Plate	Plain	730 X 565 X 540
GP72HP	Griddle Plate	Half Ribbed	730 X 565 X 540

CATERING ITEMS



HOT BAIN MARIE

Item Code	Description of Goods	Dimension	GN Pan	Technical Specifications
HBM60	Bain Marie	60" X 27" X 34" + 18"	5 X 1/1	Copper Element 2 X 2200 Watt
HBM72	Bain Marie	72" X 27" X 34" + 18"	6 X 1/1	Copper Element 2 X 2500 Watt
HBM84	Bain Marie	84" X 27" X 34" + 18"	7 X 1/1	Copper Element 3 X 2200 Watt



ELECTRIC FRYER

Item Code	Description of Goods	Dimension	Capacity	Power
81	Electric Fryer	290 X 460 X 310 MM	5.5L	2800 W
82	Double Electric Fryer	580 X 460 X 310 MM	5.5LX2	2500 W X 2
83	Electric Fryer	265 X 435 X 345 MM	8L	2800 W
84	Electric Fryer	460 X 530 X 230 MM	18L	3000 W
85	Double Electric Fryer	570 X 470 X 350 MM	10LX2	3000 W X 2
86	Electric Fryer	310 X 480 X 350 MM	13L	5000 W
87	Electric Fryer	340 X 560 X 380 MM	16L	5000 W
88	Standing Electric Fryer	400 X 800 X 1110 MM	28L	18000 W
89	Gas Fryer	290 X 520 X 480 MM	6L	Gas
90	Double Gas Fryer	570 X 520 X 480 MM	6LX2	Gas
91	Gas Fryer	310 X 660 X 550 MM	16L	Gas
92	Double Gas Fryer Standing	616 X 660 X 550 MM	16LX2	Gas
93	Gas Fryer	400 X 700 X 1100 MM	26L	Gas



SHAWARMA MACHINE

Item Code	Description of Goods	Dimension	Power	Type
PE2	Shawarma Machine	535 X 685 X 750 MM	6600 W	Counter Top
PE3	Shawarma Machine	535 X 685 X 980 MM	8000 W	Free Standing
PG2	Shawarma Machine	535 X 685 X 750 MM	--	Counter Top
PG3	Shawarma Machine	535 X 685 X 980 MM	--	Free Standing



Electric Salamander

Item Code	Description of Goods	Dimension	Power	Type
936	Electric Salamander	580 X 390 X 390 MM	2200 W	Wall Mounting
937	Electric Salamander	790 X 455 X 490 MM	4000 W	Wall Mounting
450S	Electric Lift Salamander	450 X 520 X 500 MM	2800 W	Counter Top
600S	Electric Lift Salamander	600 X 520 X 500 MM	4000 W	Counter Top

WASHING EQUIPMENTS

SINK UNIT



Item Code	Description of Goods	Bowl Thickness (mm)	Bowl Depth (mm)	Dimension (mm)
SU24	Sink Unit	1.2	300	600 X 600 X 850 + 100
SU36	Double Sink Unit	1.2	300	900 X 600 X 850 + 100
SU48	Double Sink Unit	1.4	300	1200 X 600 X 850 + 100
SU66	Triple Sink Unit	1.4	300	1700 X 600 X 850 + 100

GARBAGE CHUTE TABLE



Item Code	Description of Goods	Dimension (inches)	Sheet Grade / Thickness	Pipe Grade / Thickness
GCT42	Garbage Chute Table	42X24X34+4	304 / 16-20	304 / 18
GCT48	Garbage Chute Table	48X24X34+4	304 / 16-20	304 / 18
GCT60	Garbage Chute Table	60X24X34+4	304 / 16-20	304 / 18

DISH WASHER



Item Code	Description of Goods	Dimension (mm)	Racks / Hr.	Electrical Load (kW)	Wash Programs	Tank Capacity
500 ECO - S	Dishwasher	620 X 750 X 1500	45	4.75	4	25
500 ECO	Dish washer	620 X 750 X 1500	60	7.2	4	25

SS RACKS



Item Code	Description of Goods	Dimension (inches)	Sheet Grade / Thickness	Pipe Grade / Thickness
RC36	Stainless Steel Rack	36X18X72	304 / 20	304 / 18
RC42	Stainless Steel Rack	42X18X72	304 / 18	304 / 18
RC48	Stainless Steel Rack	48X18X72	304 / 18	304 / 18

BAR EQUIPMENTS



BLENDER



Item Code	Description of Goods	Capacity (Ltr)	Make	Power (HP)
TM788	Blender	1.5	JTC	3
TM7 67	Blender	2	JTC	3
TM8 00	Blender	2	JTC	3
TM800AQ	Blender	1.5	JTC	3



VISI COOLER

Item Code	Description of Goods	Capacity (Ltr)	Dimension (mm)	Operating Temperature
VC 220 SD GT	Visi Cooler	220	535 X 670 X 1390	-2°C
VC 320 SD GT	Visi Cooler	320	560 X 705 X 1680	-2°C
VC 450 SD GT	Visi Cooler	450	650 X 725 X 1910	-2°C



COCKTAIL STATION

Item Code	Description of Goods	Dimension (mm)	Grade / Thickness	Pipe Grade / Thickness
CS30	Cocktail Station	750 X 750 X 850 + 50	304 / 18	304 / 18
CS36	Cocktail Station	900 X 900 X 850 + 50	304 / 18	304 / 18



WINE CELLAR

Item Code	Description of Goods	Dimension (mm)	Bottle Capacity	Temperature	Power (W)
WCR22	Wine Cooler	435 X 580 X 1020	22	10°C	700
WCR66	Wine Cooler	635 X 580 X 1020	65	10°C	1000

BAR EQUIPMENTS



ICE CRUSHER

Size : 425mm x 200mm x 300m

Power : 250 watt



HAND BLENDER

Rod Size : 18.5"

Power : 500 watt



ICE CUBER

Size : 425mm x 200mm x 300m

Power : 220 watt



BACK BARS

Item Code	Description of Goods	Capacity (Ltr)	Dimension (mm)	Power (W)	Operating Temperature
RBW95	Back Bar	226	900 X 545 X 900	500	0°C
RBW135	Back Bar	349	1350 X 545 X 900	750	0°C

COFFEE MACHINE



Item Code	Description of Goods	Dimension (mm)	Boiler (L)	Heating Load (W)	Group	Weight
Green me	Coffee Machine	385 X 530 X 560	4	1700	1	35
Green P1612	Coffee Machine	765 X 530 X 560	11	4300	2	78
Green P1613	Coffee Machine	1005 X 530 X 560	16	6000	3	95

VENTILATION SYSTEM




SS HOOD 1



SS HOOD 2



AXIAL FAN



G I DUCT



AIR WASHER




**CENTRIFUGAL
BLOWER**

EXHAUST HOOD

Item Code	Description of Goods	Thickness (mm)	Hood Type	Dimension (mm)
EH24	Exhaust Hood	0.8	Wall Suspended	600 X 700 X 500
EH36	Exhaust Hood	0.8	Wall Suspended	900 X 700 X 500
EH48	Exhaust Hood	0.8	Wall Suspended	1200 X 700 X 500
EH60	Exhaust Hood	0.8	Wall Suspended	1500 X 700 X 500
EIH72	Exhaust Hood	1	Ceiling Suspended	1800 X 1200 X 500

KITCHEN PLANING






KITCHEN PLANNING



OUR HAPPY CLIENT



SEE MORE

Contact us: +91 8318551885 | +91 8726997004 Lucknow

www.rasoiequipments.com

Thank You!

We look forward to serving you with reliable,
efficient, and complete commercial kitchen solutions.

our team is always ready to assist you.



CO FOUNDER

ER. ADARSH SINGH

MECHANICAL ENGINEER



CO FOUNDER

MR. ANKIT PANDAY

SALES MARKETING

Contact us:  +91 8318551885 | +91 8726997004  Lucknow

www.rasoequipments.com